BlueStar®

The NEW Refrigerator Column has been designed to offer exceptional food preservation, maximum storage & unmatched options for kitchen design and flexibility. With industry-leading capacity these integrated columns are perfect for every home kitchen.

Model: BIFP30R0   Model: BIFP30R0 with CP30RH1   Model: BIFP30R0 with CP30RH1CPLT

PRODUCT FEATURES:

• Industry-leading 16.84 cu. ft. capacity

• Stainless steel & glass interiors

• Available in panel-ready with available integrated stainless steel panels in your choice of 1000+ colors, all with flush installation

• Automatic ice maker with Super Ice function

• Easy-to-use touch control panel

• Extra-bright LED lighting

• Stainless steel full extension drawers

• Iron Clad Warranty: 2 years (full), 5 years (sealed system parts & labor) and 13 years (sealed system parts)

• Side by side kits included with all freezer models.

SPECIFICATIONS:

Dimensions:

• Panel Ready: 83 1/2"H x 29 3/8"W x 24 1/4"D

   * Overall depth does not include panel depth

   * Width includes connector brackets

Electrical Requirements: 115V, 60Hz, 15 AMP Circuit

(Unit must be on a Non-GFI, dedicated outlet)

Water Pressure: 35 - 120 psi

Unit Capacity: 16.84 cu. ft.

Weight: 445 lbs.

CONFIGURATIONS:

Right Swing Model Plus Stainless Steel Door Panel Accessory:

Model	Description
BIFP30R0	Panel Ready
CP30RH1	Right Door Panel | Stainless Steel | Std Trim
CP30RH1PLT	Right Door Panel | Stainless Steel | Plated Trim
CP30RH1C	Right Door Panel | Std RAL Color | Std Trim
CP30RH1CPLT	Right Door Panel | Std RAL Color | Plated Trim
CP30RH1CF	Right Door Panel | Specialty Finish | Std Trim
CP30RH1CFPLT	Right Door Panel | Specialty Finish | Plated Trim
CP30RH1CC	Right Door Panel | Custom Color | Std Trim
CP30RH1CCPLT	Right Door Panel | Custom Color | Plated Trim

Left Swing Model Plus Stainless Steel Door Panel Accessory:

| Model	Description
BIFP30L0	Panel Ready
CP30LH1	Left Door Panel | Stainless Steel | Std Trim
CP30LH1PLT	Left Door Panel | Stainless Steel | Plated Trim
CP30LH1C	Left Door Panel | Std RAL Color | Std Trim
CP30LH1CPLT	Left Door Panel | Std RAL Color | Plated Trim
CP30LH1CF	Left Door Panel | Specialty Finish | Std Trim
CP30LH1CFPLT	Left Door Panel | Specialty Finish | Plated Trim
CP30LH1CC	Left Door Panel | Custom Color | Std Trim
CP30LH1CCPLT	Left Door Panel | Custom Color | Plated Trim

(A) Recommended cut-out height 83 1/2" - 84"
(B) Dimensions shown are with rollers in minimum position as shipped.
    Unit can be raised 1" max.
(C) Cut-out must have a finished return of at least 3 1/2" from the front.

Notes:
• Dimensions shown in [ ] are in millimeters.
• Product depth does not include 3/4" panel
• Cut-out dimensions are for frameless cabinet installations.

Installation Dimensions:

- Applicable to all 30" Panel Ready models.

- Dimensions are common for 30"

   Left Swing models.

Cut-out Width 29 5/8" [752]
Product Width 29" [736]
Cut-out Depth 24 1/4" [616]
Product Depth 25" [635]
5 1/8" [130]
Panel Width 29 3/8" [747]
27 24/64" [694]
100
90

Cut-out Width 29 5/8" [752]
Product Width 29" [736]
3/4" [20] Overlay Panel Thickness
1/8" [3] Reveal
Door Panel Width 29 3/8" [746]

PANEL DETAIL:

Each panel-ready BlueStar Column appliance is designed to be equipped with a decorative door panel. The table below illustrates the dimensions to be used as a guide in creating custom panels. At 79 7/8" (2029 mm) tall, they are designed for a toekick height of 4" (102 mm), and a total cutout height of 84" (2134 mm) yielding 1/8" (3 mm) reveals. At 3/4" (19 mm) deep, they are designed to attach to the 24 1/4" (616 mm) deep appliance for an overall depth of 25" (635 mm). Maximum allowed panel thickness is 1-1/8" (29 mm). 3/4" thick stainless and painted stainless panels with BlueStar handles can be purchased through BlueStar.

If the cabinet panels to be installed on panel ready units are of a rail and stile panel design, the location of mounting bracket hardware must still be 3/4" thick. A minimum vertical stile width of 3" on either side edge of hte panel is recommended.

Description	H	W (1)	W (2)	Max. Panel Weight
30" Single Column	79 7/8" [2029]	29 3/8" [746]		75 lb each (34 kg)
18" & 30" Joined Columns	79 7/8" [2029]	17 1/2" [445]	29 3/8" [746]	75 lb each (34 kg)
24" & 30" Joined Columns	79 7/8" [2029]	23 1/2" [597]	29 3/8" [746]	75 lb each (34 kg)
30" & 30" Joined Columns	79 7/8" [2029]	29 3/8" [746]	29 3/8" [746]	75 lb each (34 kg)

W
H
4" [102]